

AUSTEKNIS

Bright and exciting

MINI HELIOS




Quality and Knowledge That Lights Your Way

MINI HELIOS



SPECIFICATIONS - Mini-Helios

Maximum Light Output	2000LM
Battery - Type	Newest-generation LIFEPO4 battery
Battery Capacity	150WH
Optical Efficiency	>93%
Solar Panel	70W
Solar Cells	Very High Efficiency-Proprietary Solar Cells
Solar Panel - Service Life	25Years
Recommended Pole Height	<1m
Working Time	>30hours
Dimensions (L x W x H)	1m x 0.36
Operating Temperature	-15°C + 70°C
Protection Rating	IP65



Mini Helios Solar Light Bollard

Elegantly designed Mini Helios Bollard Light, perfect for so many applications. The aluminium alloy LED Solar Lawn Lamp is designed for surrounding areas such as lawns, paths, parking areas and more. It's soft lighting adds safety and beauty to the night time landscape. The Mini Bollard is solar powered, compact and easy to install.



MINI HELIOS



ITEM	PARTS	QTY	PICTURE
1	Light body	1SET	
2	Instruction manual	1SET	
3	Remote controller	1SET	

Austeknis Pty Ltd

7 Seaview Road, Lynton, South Australia 5062
 Phone: +61(8) 8276 3533 Fax: +61(8) 8277 3405
 Email: sales@austeknis.com www.austeknis.com



Quality and Knowledge That Lights Your Way